



Can Openers



Product lines

**Fully automatic
can openers - CEM line**



**Semi-automatic
can openers - COM line**



**Manually operated
can openers - HDO line**

Product line CEM 600




Fully automatic can openers

- Opening
- Emptying
- Rinsing
- Compacting



Fully automatic can openers




Machine height:
max. 2300 mm

- 1 Can feeding via gravity-roller conveyor
- 2 Can emptying
- 3 Ejection of the compacted cans

CEM 600

Can inlet

Can opening station



Can press



Tilted can
while emptying

Tilting device for can emptying



Can Openers




Semi-automatic can opening machine with can washing unit

Can washing unit:

- Washing
- Desinfection
- Drying





Semi-automatic can openers

Type		<u>COM-600</u>	<u>COM-800</u>	<u>COM-1500</u>
Capacity	Cans / h	600	800	1500
Products		all	all	liquid / pasty
Can size	kg	3 + 5 / 12	3 + 5 / 12	3 + 5 / 12
Voltage	Volt / Hz	220/50	220/50	380/50



HDO Line



Can opening:
Punching out of the
can lid



Emptying of the can
contents into a
container



Ejection of the can
lid into the emptied
can



Compacting of the
can and can lid

HDO types

Type		HDO-50	HDO-100
Capacity	Cans / h	100 - 200	100 - 300
Products		all	all
Can size	kg	3 + 5 + 10	3+5+10+12
Operating		pneumatic	pneumatic

Accessories for can opener of the type HDO, on option:

- Single punch head for 3+5 kg cans
- Single punch head for 10+12 kg cans
- Double punch head for 3+5+10+12 kg cans
- Can press (integrated to the can opener)
- Movable sub-rack
- Protective walls in Macrolon



Our machines and plants are used worldwide in international well-known groups and firms.

